inconsistent assumptions in that perfect mixing was assumed in the calculation along with data taken under conditions where this assumption is not applicable. With the proper $E(t)$ the calculated curve for molecular mixing would probably be very close to the curve for "R (Measured)", except possibly at very low r.p.m., on a plot of conversion vs. r.p.m.

We think that our work may offer the first experimental evidence for segregation in a stirred tank reactor, but some may feel that non-isothermal effects inherent in the experimental technique may obscure the true situation. Thus, we would welcome confirming evidence with other reacting systems and other reactor geometries. The need to separate the change in $E(t)$ from an indication of segregation has been established.

References

(1) La Rosa, P. and Manning, F. S., Can. J. Chem. Eng., **42**, No. 2, 65-8 (1964).
(2) Zwietering, Th.N., Chem. Eng. Sci., **11**, No. 1, 1 (1959).
(3) Worrell, G. R., Ph.D. Dissertation Chem. Eng. Dept., Univ. Penna. (1963).
(4) Worrell, G. R. and Eagleton, L. C., Can. J. Chem. Eng., **42**, 254 (1964).

G. R. Worrell and **L. C. Eagleton,**
The University of Pennsylvania.

Pittsburgh, Pa.

Editor, C.J.Ch.E.:

Dr. Worrell and Professor Eagleton are correct in stating that the overall conversion achieved in a CFSTR is strongly dependent on the residence time distribution (r.t.d.). This fact has led to many model studies, e.g., Cholette and Cloutier[1], in which varying degrees of bypass flow, plug flow, and dead-water space are postulated in order to match r.t.d. data. However, for reactions other than first order, the overall conversion at constant nominal residence time can be affected by the type of mixing. Two extreme models exist; the first is the perfectly mixed on the molecular level or "micro-mixed" as Levenspiel[2] calls it; and the second is Danckwerts'[3] complete segregation or "macro-mixing". Alternatively, Zweitering[4] has shown that for a given arbitrary r.t.d. reactor yield depends also on the earliness or lateness at which mixing occurs. In view of the limited quantity of data presently available it seems impossible to characterize the individual roles exerted by all the above effects.

Professor Crowe corrected a serious misprint in Equation (7), p. 68 of LaRosa and Manning's paper. The suggestion to employ pseudo first order reactions to detect changes in r.t.d. deserves experimental trial.

Drs. Ng and Rippin not only caught the misprint in Equation (7) but also corrected the computed values of R_{seg}. The latter error was due to an error in the computer program used for the numerical integration.

We have just measured r.t.d. for a C.F.S.T. over the range of 0 to 500 r.p.m. This data indicates that r.t.d. changes very little with r.p.m. and the experimentally measured yields at low r.p.m. still exceed that predicted for complete segregation and the experimental r.t.d. This anomaly remains to be explained. Obviously additional data, of improved accuracy, would be most helpful. It is hoped that this discussion will encourage further experiments.

The definition of R_{mm} (molecular mixing) was quite arbitrary and hence is susceptible to discussion. Again R_{mm} was introduced to emphasize that the observed variation in overall vessel yield was, indeed, measurable and not just fortuitious.

References

(1) Cholette, A. and Cloutier, L., Can. J. Chem. Eng., **37**, 105 (1959).
(2) Levenspiel, O., "Chemical Reaction Engineering", Wiley & Son, N.Y. (1962).
(3) Danckwerts, P. V., Chem. Reaction Eng., **1**, 93 (1957).
(4) Zwietering, Th. N., Chem. Eng. Sci., **11**, 1 (1959).

D. Wolf and **F. S. Manning,**
Chemical Engineering Department,
Carnegie Institute of Technology.

The Canadian Journal of Chemical Engineering — 1964

INDEX OF PAPERS

Absorption of Oxygen by Sodium Sulphite on a Sieve Plate, The — I. J. Harris and G. H. Roper 34
Activation Energy Calculation from a Linearly-Increasing Temperature Equipment — T. R. Ingraham and P. Marier 161
Analytical Solutions of the Equation of Heat Conduction for a Non-Homogeneous Medium — H. S. Heaps and R. D. Srivastava 120
Application of a Modified Conditional Probability Computer to Chemical Process Optimization, The — E. B. Tinker and P. N. Nikiforuk 126
Catalytic Selectivity in Complex Systems — John B. Butt 211
Characterization of the Component Distribution in the Fractionation of Multicomponent Mixtures, The — R. M. Butler and I. S. Pasternak 47
Chemical Sampling as a Data Filter — George A. Coulman 262
Computation of Chemical Equilibrium Compositions — S. H. Storey and F. Van Zeggeren 54
Continuous Vertical and Inclined Settling of Model Suspensions — D. R. Oliver 268
Correlation of Adsorption Equilibria of Pure Gases on Activated Carbon — W. H. Cook and D. Basmadjian 146
Dehydrogenation of n-Butylenes over Calcium Nickel Phosphate: Determination of Relative Adsorption Coefficients — J. Firko and D. S. Alexander 183
Determination of Chemical Kinetics for Multiple Reaction Systems — R. W. M. Letts and H. S. Mickley 56
Determination of a Simplified Transfer Function — J. E. Donniger and W. F. Stevens 85
Direct-Contact Heat Transfer Between a Single Drop and an Immiscible Liquid Medium — S. Sideman and H. Shabtai 107
Drag and Oscillatory Motion of Freely Falling Cylindrical Particles — E. K. Marchildon, A. Clamen and W. H. Gauvin 178
Effect of Abrupt Concentration Changes on the Motion of Free Drops — R. S. Valentine and W. J. Heideger 43
Effect of Vapor Velocity on the Condensation of Steam, The — A. A. Nicol 278
Estimation of Latent Heats of Vaporization — Benjamin C.-Y. Lu 123
Evaporation Rates in Spray Drying — A. K. Bose and D. C. T. Pei 259
Experimental Study of Mixing and Segregation in a Stirred Tank Reactor, An — G. R. Worrell and L. C. Eagleton 254
Filled Linear Polyethylene Compositions — W. F. Furter 125
Flow of Viscous Fluids Over Weirs — E. W. Slocum 196
Heat Transfer in Spouted Beds — W. A. Malek and B. C.-Y. Lu 14
Heat Transfer from a Moving Belt in a Rectangular Duct — D. A. McCarthy and J. J. C. Picot 277
Hydrates of Methane and Sulphur Hexafluoride, The — L. D. Sortland and D. B. Robinson 38
Hydraulic Efficiency of Aluminum Pipe Over a Large Range of Reynolds' Numbers, On the — Arthur Brebner 45
Hydrocracking, an Example of Modern Hydrogen Processing — D. D. MacLaren, A. R. Cunningham, G. W. Hendricks and A. E. Kelley 88
Hydrogenation of a Coker Distillate Derived from Athabaska Bitumen — A. R. Aitken, W. H. Merrill and M. P. Pleet 234
Inclined Settling of Dispersed Suspensions of Spherical Particles in Square-Section Tubes, The — D. R. Oliver and V. G. Jenson 191
Intensity of Segregation as a Measure of Incomplete Mixing — P. LaRosa and F. S. Manning 65
Isobaric Vapor-Liquid Equilibria. System: Benzene(1)-Cyclohexane(2)-Toluene(3) — B.V. Sabbarao and C. Venkatarao 266

inconsistent assumptions in that perfect mixing was assumed in the calculation along with data taken under conditions where this assumption is not applicable. With the proper $E(t)$ the calculated curve for molecular mixing would probably be very close to the curve for "R (Measured)", except possibly at very low r.p.m., on a plot of conversion vs. r.p.m.

We think that our work may offer the first experimental evidence for segregation in a stirred tank reactor, but some may feel that non-isothermal effects inherent in the experimental technique may obscure the true situation. Thus, we would welcome confirming evidence with other reacting systems and other reactor geometries. The need to separate the change in $E(t)$ from an indication of segregation has been established.

References

(1) La Rosa, P. and Manning, F. S., Can. J. Chem. Eng., **42**, No. 2, 65-8 (1964).
(2) Zwietering, Th.N., Chem. Eng. Sci., **11**, No. 1, 1 (1959).
(3) Worrell, G. R., Ph.D. Dissertation Chem. Eng. Dept., Univ. Penna. (1963).
(4) Worrell, G. R. and Eagleton, L. C., Can. J. Chem. Eng., **42**, 254 (1964).

G. R. Worrell and **L. C. Eagleton,**
The University of Pennsylvania.

Pittsburgh, Pa.

Editor, C.J.Ch.E.:

Dr. Worrell and Professor Eagleton are correct in stating that the overall conversion achieved in a CFSTR is strongly dependent on the residence time distribution (r.t.d.). This fact has led to many model studies, e.g., Cholette and Cloutier[1], in which varying degrees of bypass flow, plug flow, and dead-water space are postulated in order to match r.t.d. data. However, for reactions other than first order, the overall conversion at constant nominal residence time can be affected by the type of mixing. Two extreme models exist; the first is the perfectly mixed on the molecular level or "micro-mixed" as Levenspiel[2] calls it; and the second is Danckwerts'[3] complete segregation or "macro-mixing". Alternatively, Zweitering[4] has shown that for a given arbitrary r.t.d. reactor yield depends also on the earliness or lateness at which mixing occurs. In view of the limited quantity of data presently available it seems impossible to characterize the individual roles exerted by all the above effects.

Professor Crowe corrected a serious misprint in Equation (7), p. 68 of LaRosa and Manning's paper. The suggestion to employ pseudo first order reactions to detect changes in r.t.d. deserves experimental trial.

Drs. Ng and Rippin not only caught the misprint in Equation (7) but also corrected the computed values of R_{seg}. The latter error was due to an error in the computer program used for the numerical integration.

We have just measured r.t.d. for a C.F.S.T. over the range of 0 to 500 r.p.m. This data indicates that r.t.d. changes very little with r.p.m. and the experimentally measured yields at low r.p.m. still exceed that predicted for complete segregation and the experimental r.t.d. This anomaly remains to be explained. Obviously additional data, of improved accuracy, would be most helpful. It is hoped that this discussion will encourage further experiments.

The definition of R_{mm} (molecular mixing) was quite arbitrary and hence is susceptible to discussion. Again R_{mm} was introduced to emphasize that the observed variation in overall vessel yield was, indeed, measurable and not just fortuitious.

References

(1) Cholette, A. and Cloutier, L., Can. J. Chem. Eng., **37**, 105 (1959).
(2) Levenspiel, O., "Chemical Reaction Engineering", Wiley & Son, N.Y. (1962).
(3) Danckwerts, P. V., Chem. Reaction Eng., **1**, 93 (1957).
(4) Zwietering, Th. N., Chem. Eng. Sci., **11**, 1 (1959).

D. Wolf and **F. S. Manning,**
Chemical Engineering Department,
Carnegie Institute of Technology.

The Canadian Journal of Chemical Engineering — 1964

INDEX OF PAPERS

Absorption of Oxygen by Sodium Sulphite on a Sieve Plate, The — I. J. Harris and G. H. Roper 34
Activation Energy Calculation from a Linearly-Increasing Temperature Equipment — T. R. Ingraham and P. Marier 161
Analytical Solutions of the Equation of Heat Conduction for a Non-Homogeneous Medium — H. S. Heaps and R. D. Srivastava 120
Application of a Modified Conditional Probability Computer to Chemical Process Optimization, The — E. B. Tinker and P. N. Nikiforuk 126
Catalytic Selectivity in Complex Systems — John B. Butt 211
Characterization of the Component Distribution in the Fractionation of Multicomponent Mixtures, The — R. M. Butler and I. S. Pasternak 47
Chemical Sampling as a Data Filter — George A. Coulman 262
Computation of Chemical Equilibrium Compositions — S. H. Storey and F. Van Zeggeren 54
Continuous Vertical and Inclined Settling of Model Suspensions — D. R. Oliver 268
Correlation of Adsorption Equilibria of Pure Gases on Activated Carbon — W. H. Cook and D. Basmadjian 146
Dehydrogenation of n-Butylenes over Calcium Nickel Phosphate: Determination of Relative Adsorption Coefficients — J. Firko and D. S. Alexander 183
Determination of Chemical Kinetics for Multiple Reaction Systems — R. W. M. Letts and H. S. Mickley 56
Determination of a Simplified Transfer Function — J. E. Donniger and W. F. Stevens 85
Direct-Contact Heat Transfer Between a Single Drop and an Immiscible Liquid Medium — S. Sideman and H. Shabtai 107
Drag and Oscillatory Motion of Freely Falling Cylindrical Particles — E. K. Marchildon, A. Clamen and W. H. Gauvin 178
Effect of Abrupt Concentration Changes on the Motion of Free Drops — R. S. Valentine and W. J. Heideger 43
Effect of Vapor Velocity on the Condensation of Steam, The — A. A. Nicol 278
Estimation of Latent Heats of Vaporization — Benjamin C.-Y. Lu 123
Evaporation Rates in Spray Drying — A. K. Bose and D. C. T. Pei 259
Experimental Study of Mixing and Segregation in a Stirred Tank Reactor, An — G. R. Worrell and L. C. Eagleton 254
Filled Linear Polyethylene Compositions — W. F. Furter 125
Flow of Viscous Fluids Over Weirs — E. W. Slocum 196
Heat Transfer in Spouted Beds — W. A. Malek and B. C.-Y. Lu 14
Heat Transfer from a Moving Belt in a Rectangular Duct — D. A. McCarthy and J. J. C. Picot 277
Hydrates of Methane and Sulphur Hexafluoride, The — L. D. Sortland and D. B. Robinson 38
Hydraulic Efficiency of Aluminum Pipe Over a Large Range of Reynolds' Numbers, On the — Arthur Brebner 45
Hydrocracking, an Example of Modern Hydrogen Processing — D. D. MacLaren, A. R. Cunningham, G. W. Hendricks and A. E. Kelley 88
Hydrogenation of a Coker Distillate Derived from Athabaska Bitumen — A. R. Aitken, W. H. Merrill and M. P. Pleet 234
Inclined Settling of Dispersed Suspensions of Spherical Particles in Square-Section Tubes, The — D. R. Oliver and V. G. Jenson 191
Intensity of Segregation as a Measure of Incomplete Mixing — P. LaRosa and F. S. Manning 65
Isobaric Vapor-Liquid Equilibria. System: Benzene(1)-Cyclohexane(2)-Toluene(3) — B.V. Sabbarao and C. Venkatarao 266

Kinetics of the Reduction of Ferrous Chloride with Hydrogen – Tyson Rigg 247
Laminar Heat Transfer to Non-Newtonian Fluids in the Entrance Region of a Circular Conduit – Richard A. Pawlek and Chi Tien 222
Mass Transfer Coefficients Across Ion-Exchange Membranes – A. S. Tombalakian, C. Y. Yeh and W. F. Graydon 61
Mass Transfer from Solid Spheres – R. B. Keey and J. B. Glen 227
Mass Transfer from a Flat Surface to an Impinging Turbulent Jet – V. V. Rao and Olev Trass 95
Minimization of Axial Dispersion by Use of Secondary Flow in Helical Tubes – J. A. Koutsky and R. J. Adler 239
New Basic Form for Vapor Pressure Equations, A – Raymond C. Hall 152
Non-Catalytic Oxidation of Olefins to Epoxides with Molecular Oxygen, The – F. E. Meadus and K. U. Ingold 86
Novel Preparation of Finely Divided Colloidal Silica – A. F. Sirianni and I. E. Puddington 42
Observations on Tubular Reactor Stability, Some – Lee R. Raymond and Neil R. Amundson 173
Optimum Design of a Moving Bed Grain Drier by Dynamic Programming – Y. K. Ahn, H. C. Chen, L. T. Fan and C. G. Wan 117
Phase Behavior of the n-Butane-Hydrogen Sulphide System – Donald B. Robinson, R. E. Hughes and J. A. W. Sandercock 143
Pipeline Flow of Capsules, The. Part 3. An Experimental Investigation of the Transport by Water of Single Cylindrical and Spherical Capsules with Density Equal to that of Water – H. S. Ellis 1
Pipeline Flow of Capsules, The. Part 4. An Experimental Investigation of the Transport in Water of Single Cylindrical Capsules with Density Greater Than That of Water – H. S. Ellis 69
Pipeline Flow of Capsules, The. Part 5. An Experimental Investigation of the Transport by Water of Single Spherical Capsules with Density Greater Than That of the Water – H. S. Ellis 155
Pipeline Flow of Capsules, The. Part 6. Numerical Analysis of Some Variables Determining Free Flow – R. Newton, P. J. Redberger and G. F. Round 168
Pipeline Flow of Capsules, The. Part 7. An Experimental Investigation of the Transport by Two Oils of Single Cylindrical and Spherical Capsules with Density Equal to That of the Oil – H. S. Ellis and L. H. Bolt 201
Populaiton Balance for Countable Entities, A. – A. D. Randolph 280
Production of Potassium Sulphate from Naturally Occurring Sodium Sulphate and Potassium Chloride – Brad Gunn 187
Pumping of Wood-Chips Through a Four-Inch Aluminum Pipe-Line, On the – Arthur Brebner 139
Reciprocating Flow Fixed Bed Contactor. Part 1. Development, Ion Exchange – I. H. Spinner and R. F. Hunter 28
Residence Time Distribution in Multi-Stage Systems with Recycle – A. Haddad, D. Wolf and W. Resnick 216
Resistance Probe Method for Determining Local Solid Particle Mixing Rates in a Batch Fluidized Bed, A – T. Hayakawa, W. Graham and G. L. Osberg 99
Silver Sprayed Cylindrical Mesh Packing in a Fluidized Bed – A. E. McIlhinney and G. L. Osberg 232
Some Segregation Effects in Packed-Fluidized Beds – J. P. Sutherland and K. Y. Wong 163
Spouting of Mixed Particle-Sized Beds – J. W. Smith and K. V. S. Reddy 206
Temperature Distribution and Heat Transfer In Annular Two Phase (Liquid-Liquid Flow) – M. Bentwich and S. Sideman 9
Thermal Barriers for Rocket Motors – J. Y. Belanger 272
Time Dependent Rheology of the Tetrahydro-Furan-Hydrogen Sulphide Gas Hydrate Slurry – Kenneth L. Pinder 132
Vapor-Liquid Equilibrium Data for the Benzene-Cyclohexane-2-Propanol System at 760 mm. of Hg. – Isamu Nagata 82
Vapor-Liquid Equilibria at High Temperatures. The Selenium-Tellurium System – J. C. Yannopoulos and N. J. Themelis 219
Venting of High Pressure Fixed-Bed Catalytic Reactors – D. Basmadjian 104
Yield Studies in Packed Tubular Reactors. Part 2. Results of Combined Cases – H. S. Mickley and R. W. M. Letts 21

INDEX OF AUTHORS

Adler, R. J. and Koutsky, J. A.
Minimization of Axial Dispersion by Use of Secondary Flow in Helical Tubes 239
Ahn, Y. K., Chen, H. C., Fan, L. T. and Wan, C. G.
Optimum Design of a Moving Bed Grain Drier by Dynamic Programming 117
Aitken, A. R., Merrill, W. H. and Pleet, M. P.
Hydrogenation of a Coker Distillate Derived from Athabaska Bitumen 234
Alexander, D. S. and Firko, J.
Dehydrogenation of n-Butylenes over Calcium Nickel Phosphate: Determination of Relative Absorption Coefficients 183
Amundson, Neil R. and Raymond, Lee R.
Some Observations on Tubular Reactor Stability 173
Basmadjian, D.
Venting of High Pressure Fixed-Bed Catalytic Reactors 104
Basmadjian, D. and Cook, W. H.
Correlation of Absorption Equilibria of Pure Gases On Activated Carbon 146
Belanger, J. Y.
Thermal Barriers for Rocket Motors 272
Bentwick, M. and Sideman, S.
Temperature Distribution and Heat Transfer In Annular Two Phase (Liquid-Liquid Flow) 9
Bolt, L. H. and Ellis, H. S.
Pipeline Flow of Capsules, The. Part 7. An Experimental Investigation of the Transport by Two Oils of Single Cylindrical and Spherical Capsules with Density Equal to That of the Oil 201
Bose, A. K. and Pei, D. C. T.
Evaporation Rates in Spray Drying 259
Brebner, Arthur
On the Hydraulic Efficiency of Aluminum Pipe Over a Large Range of Reynolds' Numbers 45
Brebner, Arthur
On the Pumping of Wood-Chips Through a Four-Inch Aluminum Pipeline 139
Butler, R. M. and Pasternak, I. S.
The Characterization of the Component Distribution in the Fractionation of Multicomponent Mixtures 47
Butt, John B.
Catalytic Selectivity in Complex Systems 211
Chen, H. C. See Ahn, Y. K. 117
Clamen, A., Marchildon, E. K. and Gauvin, W. H.
Drag and Oscillatory Motion of Freely Falling Cylindrical Particles 178
Cook, W. H. See Basmadjian, D. 146
Coulman, George A.
Chemical Sampling as a Data Filter 262
Cunningham, A. R., Hendricks, G. W., Kelley, A. E. and MacLaren, D. D.
Hydrocracking, an Example of Modern Hydrogen Processing 88
Donniger, J. E. and Stevens, W. F.
Determination of a Simplified Transfer Function 85
Eagleton, L. C. and Worrell, G. R.
An Experimental Study of Mixing and Segregation in a Stirred Tank Reactor 254
Ellis, H. S.
The Pipeline Flow of Capsules. Part 3. An Experimental Investigation of the Transport by Water of Single Cylindrical and Spherical Capsules with Density Equal to that of Water 1
Ellis, H. S.
The Pipeline Flow of Capsules. Part 4. An Experimental Investigation of the Transport in Water of Single Cylindrical Capsules with Density Greater than that of Water 69
Ellis, H. S.
The Pipeline Flow of Capsules, Part 5. Investigation of the Transport by Water of Single Spherical Capsules with Density Greater than that of the Water 155
Ellis, H. S. See Bolt, L. H. 201
Fan, L. T. See Ahn, Y. K. 117
Firko, J. See Alexander, D. S. 183
Furter, W. F.
Filled Linear Polyethylene Compositions 77
Gauvin, W. H. See Clamen, A. 178
Glen, J. B. and Keey, R. B.
Mass Transfer from Solid Spheres 227

Graham, W., Osberg, G. L. and Hayakawa, T.
A Resistance Probe Method for Determining Local Solid Particle Mixing Rates in a Batch Fluidized Bed 99
Graydon, W. F., Yeh, C. Y. and Tombalakian, A. S.
Mass Transfer Coefficients Across Ion-Exchange Membranes 61
Gunn, Brad
Production of Potassium Sulphate from Naturally Occurring Sodium Sulphate and Potassium Chloride 187
Haddad, A., Wolf D. and Resnick, W.
Residence Time Distribution in Multi-Stage Systems with Recycle 216
Hall, Raymond C.
A New Basic Form for Vapor Pressure Equations 152
Harris, I. J. and Roper, G. H.
The Absorption of Oxygen by Sodium Sulphite on a Sieve Plate 34
Hayakawa, T. See Graham, W. 99
Heaps, H. S. and Srivastava, R. D.
Analytical Solutions of the Equation of Heat Conduction for a Non-Homogeneous Medium 120
Heideger, W. J. and Valentine, R. S.
Effect of Abrupt Concentration Changes on the Motion of Free Drops 43
Henricks, G. W. See Cunningham, A. R. 88
Hughes, R. E., Robinson, Donald B. and Sandercock, J. A. W.
Phase Behavior of the n-Butane-Hydrogen Sulphide System 143
Hunter, R. F. and Spinner, I. H.
Part 1. Development, Ion Exchange 28
Ingold, K. U. and Meadus, F. W.
The Non-Catalytic Oxidation of Olefins to Epoxides with Molecular Oxygen 86
Ingraham, T. R. and Marier, P.
Activation Energy Calculation from a Linearly-Increasing Temperature Equipment 161
Jenson, V. G. and Oliver, D. R.
The Inclined Setting of Dispersed Suspensions of Spherical Particles in Square-Section Tubes 191
Keey, R. B. See Glen, J. B. 227
Kelley, A. E. See Cunningham, A. R. 88
Koutsky, J. A. See Adler, R. J. 239
LaRosa, P. and Manning, F. S.
Intensity of Segregation as a Measure of Incomplete Mixing 65
Letts, R. W. M. and Mickley, H. S.
Yield Studies in Packed Tubular Reactors. Part 2. Results of Computed Cases 21
Letts, R. W. M. and Mickley, H. S.
Determination of Chemical Kinetics for Multiple Reaction Systems 56
Lu, Benjamin C.-Y. and Malek, M. A.
Heat Transfer in Spouted Beds 14
Lu, Benjamin C.-Y.
Estimation of Latent Heats of Vaporization 123
MacLaren, D. D. See Cunningham, A. R. 88
Malek, M. A. See Lu, Benjamin C.-Y. 14
Manning, F. S. See LaRosa, P. 65
Marchildon, E. K. See Clamen, A. 178
Marier, P. See Ingraham, T. R. 161
McCarthy, D. A.
Heat Transfer from a Moving Belt in a Rectangular Duct 277
McIlhinney, A. E. and Osberg, G. L.
Silver Sprayed Cylindrical Mesh Packing in a Fluidized Bed 232
Meadus, F. W. See Ingold, K. U. 86
Merrill, W. H. See Aitken, A. R. 234
Mickley, H. S. See Letts, R. W. M. ..... 21 and 56
Nicol, A. A.
The Effect of Vapor Velocity on the Condensation of Steam 278
Nagata, Isamu
Vapor-Liquid Equilibrium Data for the Benzene-Cyclohexane-2-Propanol System at 760 mm. of Hg. 82
Nikiforuk, P. N. and Tinker, E. B.
The Application of a Modified Conditional Probability Computer to Chemical Process Optimization 126
Newton, R., Redberger, P. J. and Round, G. F.
The Pipeline Flow of Capsules, Part 6. Numerical Analysis of Some Variables Determining Free Flow 168
Oliver, D. R. See Jenson, V. G. 191
Oliver, D. R.
Continuous Vertical and Inclined Settling of Model Suspensions 268
Osberg, G. L. See Graham, W. 99
Osberg, G. L. See McIlhinney, A. E. 232
Pasternak, I. S. See Butler, R. M. 47
Pawlek, Richard A. and Tien, Chi
Laminar Heat Transfer to Non-Newtonian Fluids in the Entrance Region of a Circular Conduit 222
Pei, D. C. T. See Bose, A. K. 259
Picot, J. J. C. See McCarthy, D. A. 277
Pinder, Kenneth L.
Time Dependent Rheology of the Tetrahydrofuran-Hydrogen Sulphide Gas Hydrate Slurry 132
Pleet, M. P. See Aitken, A. R. 234
Puddington, I. E. and Sirianni, A. F.
Novel Preparation of Finely Divided Colloidal Silica 42
Randolph, A. D.
A Population Balance for Countable Entities 280
Rao, V. V. and Trass, Olev
Mass Transfer from a Flat Surface to an Impinging Turbulent Jet 95
Raymond, Lee. See Amundson, Neil R. 173
Redberger, P. J. See Newton, R. 168
Reddy, K. V. S. and J. W. Smith
Spouting of Mixed Particle-Size Beds 206
Resnick, W. See Haddad, A. 216
Rigg, Tyson
Kinetics of the Reduction of Ferrous Chloride with Hydrogen 247
Robinson, D. B. and Sortland, L. D.
The Hydrates of Methane and Sulphur Hexafluoride 38
Robinson, D. B. See Hughes, R. E. 143
Roper, G. H. See Harris, I. J. 34
Round, G. F. See Newton, R. 168
Sabbarao, B. V. and Venkatarao, C.
Isobaric Vapor-Liquid Equilibria. System: Benzene(1)-Cyclohexane(2)-Toluene(3) 266
Sandercock, J. A. W. See Hughes, R. E. 143
Shabtai, H. and Sideman, S.
Direct-Contact Heat Transfer Between a Single-Drop and an Immiscible Liquid Medium 107
Sideman, S. See Shabtai, H. 107
Sideman, S. See Bentwick, M. 9
Sirianni, A. F. See Puddingham, I. E. 42
Slocum, E. W.
Flow of Viscous Fluids Over Weirs 196
Smith, J. W. See Reddy, K. V. S. 206
Sortland, L. D. See Robinson, D. B. 38
Spinner, I. H. See Hunter, R. F. 28
Stevens, W. F. See Donniger, J. E. 85
Storey, S. H. and Van Zeggeren, F.
Computation of Chemical Equilibrium Compositions 54
Srivastava, R. D. See Heaps, H. S. 120
Sutherland, J. P. and Wong, K. Y.
Some Segregation Effects in Packed Fluidized Beds 163
Themelis, N. J. and Yannopoulos, J. C.
Vapor-Liquid Equilibria at High Temperatures: The Selenium-Tellurium System 219
Tien, Chi. See Pawlek, Richard A. 222
Tinker, E. B. See Nikiforuk, P. N. 126
Tombalakian, A. S. See Graydon, W. F. 61
Trass, Olev. See Rao, V. V. 95
Valentine, R. S. See Heideger, W. J. 43
Van Zeggeren, F. See Storey, S. H. 54
Venkatarao, C. See Sabbarao, B. V. 266
Wan, G. See Ahn, Y. K. 117
Wolf, D. See Haddad, A. 216
Wong, K. Y. See Sutherland, J. P. 163
Worrell, G. R. See Eagleton, L. C. 254
Yannopoulos, J. C. See Themelis, N. J. 219
Yeh, C. Y. See Graydon, W. F. 61

★ ★ ★